

Annexure C

PROFORMA FOR SAFE DRINKING WATER AND SANITARY CONDITION CERTIFICATE

No. 2213/C190/2026-27

Dated: 17/06/26

It is certified that an inspection team headed by Dr. Rakesh Kumar Yadav, Dy. CMO

(Name of Officers with designation) from CMO office Raebareilly PHED

inspected the New Standard Public School (Inter College) Salethu, Maharajganj Raebareilly

(Name & Address of the school) on 7/06/26 (date of inspection) and on the basis of

Water Test Report (Attached) bearing no. URL/2026/1297 dated 26/5/26

of Universal Research Services (PHED Lab) certified that the New Standard Public School (Inter College) Salethu, Maharajganj Raebareilly (Name of school) has safe drinking water,

facilities for the students and members of staff of the institution. School is also maintains the

hygienic sanitation condition in the school building & the campus as per norms prescribed by the

Central/ State/ U.T. Govt.

This certificate is valid till 25/5/28

Signature with Seal:

Name

Designation

Name & Address of the Officer/ Department:

To
New Standard Public School,
(Inter College) Salethu, Maharajganj
(Name & Address of the Institution) Raebareilly

Note: The certificate is to be issued by authorized officer / PHED Lab / local bodies


PRINCIPAL
New Standard Public School
Salethu, Maharajganj-Raebareilly


Manager
NEW STANDARD PUBLIC SCHOOL
Salethu, Maharajganj-Raebareilly



TC-12484

TEST REPORT

Test Report No.: URLS/2026/1297		ULR No: TC124842600001020F	Issued On: 26.05.2026
1.	Name & Address of Customer	New Standard Public School (Inter College); Salethu, Maharajanj, Raebareli, Uttar Pradesh.	
2.	Registration Reference Details	Order Code/Job Order No.: URLS/O/26-0722/1; Dated: 21.05.2026	
3.	Material Identification with Details	Water; 1 Litre.	
4.	Source / Location	Ground Water / Borewell- School Premise	
5.	Sampled By / Condition	Customer / Sealed & Satisfactory	
6.	Sampling Plan & Procedure	NA	
7.	Date / Time of Sampling	NA	
8.	Date of Sample Registration	21.05.2026	
9.	Date of Sample Testing	21.05.2026 to 26.05.2026	
10.	Environmental Conditions	Room Temperature (°C): 23.8	Relative Humidity (%): 62

RESULTS

S. No.	Name of Test	Test Result	Units	IS 10500:2012 Drinking Water Specification	Method of Test
Discipline- Chemical					
Group- Water					
1	Odour	Agreeable	-	Agreeable (No Relax.)	IS:3025 (Part 05) 2018
2	Taste	Agreeable	-	Agreeable (No Relax.)	IS:3025 (Part 06) 2023
3	Turbidity	BLQ (LOQ=0.1)	NTU	1.0 (Max. 5.0)	IS:3025 (Part 10) 2023
4	pH value at 25°C	6.88	-	6.5-8.5 (No Relax.)	IS:3025 (Part 11) 2022
5	Total Dissolved Solids	510	mg/L	500 (Max.2000)	IS:3025 (Part 16) 2023
6	Total Hardness as CaCO ₃	388.19	mg/L	200 (Max. 600)	IS:3025 (Part 21) 2009
7	Calcium as Ca ⁺⁺	60.24	mg/L	75 (Max. 200)	IS:3025 (Part 40) 2024
8	Magnesium as Mg ⁺⁺	57.78	mg/L	30 (Max. 100)	IS:3025 (Part 46) 2023
9	Total Alkalinity as CaCO ₃	373.80	mg/L	200 (Max. 600)	IS:3025 (Part 23) 2023
10	Chloride as Cl ⁻	66.53	mg/L	250 (Max.1000)	IS:3025 (Part 32) 1988
11	Total Iron as Fe	0.09	mg/L	0.3 (No Relax.)	IS:3025 (Part 53) 2024
12	Nitrate as NO ₃ ⁻	BLQ (LOQ=1.0)	mg/L	45 (No Relax.)	IS:3025 (Part 34) 2023
13	Sulphate as SO ₄ ⁻	21.31	mg/L	200 (Max. 400)	IS:3025 (Part 24) 2022
14	Fluoride as F ⁻	1.36	mg/L	1.0 (Max. 1.5)	IS:3025 (Part 60) 2023
15	Free Residual Chlorine	BLQ (LOQ=0.14)	mg/L	0.2 (Max. 1.0)	IS:3025 (Part 26) 2021

BLQ=Below Limit of Quantification, LOQ= Limit of Quantification.


PRINCIPAL
New Standard Public School
Salethu, Maharajanj-Raebareli
Checked By
Suryabhan Singh
Quality Manager



End of Report


Manager
NEW STANDARD PUBLIC SCHOOL
Salethu, Maharajanj-Raebareli
Authorized Signatory
J.P. Nautiyal
Technical Manager

♦The test-results relate only to the sample analysed. ♦The test-results may not be reproduced except in full, without a written approval of the laboratory and cannot be used as an evidence in the court of law. ♦The sample will be destroyed after 7 days from the date of issue of test certificate unless otherwise specified. ♦Complaints pertaining to this test report should be communicated within 7 days of issue of test report. ♦All disputes subject to Lucknow Jurisdiction.



TEST REPORT

Test Report No.: URLS/2026/1297		Issued On: 26.05.2026
1.	Name & Address of Customer	New Standard Public School (Inter College); Salethu, Maharajganj, Raebareli, Uttar Pradesh.
2.	Registration Reference Details	Order Code/Job Order No.: URLS/O/26-0722/1; Dated: 21.05.2026
3.	Material Identification with Details	Water; 1 Litre.
4.	Source / Location	Ground Water / Borewell- School Premise
5.	Sampled By / Condition	Customer / Sealed & Satisfactory
6.	Sampling Plan & Procedure	NA
7.	Date / Time of Sampling	NA
8.	Date of Sample Registration	21.05.2026
9.	Date of Sample Testing	21.05.2026 to 26.05.2026
10.	Environmental Conditions	Room Temperature (°C): 23.8 Relative Humidity (%): 62

RESULTS


S. No.	Name of Test	Test Result	IS 10500:2012 Drinking Water Specification	Method of Test
Discipline- Biological				
Group- Water				
1	Total Coliform (MPN/100ml)	Not Detected	Shall not be detectable	IS:1622-1981
2	Faecal Coliform (MPN/100ml)	Not Detected	Shall not be detectable	IS:1622-1981
3	E.coli in 100 ml Sample	Not Detected	Shall not be detectable	IS:1622-1981


PRINCIPAL
New Standard Public School
Salethu, Maharajganj-Raebareli


Manager
NEW STANDARD PUBLIC SCHOOL
Salethu, Maharajganj-Raebareli


Checked By
Suryabhan Singh
Quality Manager




Authorized Signatory
J.P. Nautiyal
Technical Manager

End of Report

♦The test-results relate only to the sample analysed. ♦The test-results may not be reproduced except in full, without a written approval of the laboratory and cannot be used as an evidence in the court of law. ♦The sample will be destroyed after 7 days from the date of issue of test certificate unless otherwise specified. ♦Complaints pertaining to this test report should be communicated within 7 days of issue of test report. ♦All disputes subject to Lucknow Jurisdiction.



TC-12484

TEST REPORT

Test Report No.: URLS/2026/1298		ULR No: TC124842600001021F	Issued On: 26.05.2026
1.	Name & Address of Customer	New Standard Public School (Inter College); Salethu, Maharajganj, Raebareli, Uttar Pradesh.	
2.	Registration Reference Details	Order Code/Job Order No.: URLS/O/26-0722/2; Dated: 21.05.2026	
3.	Material Identification with Details	Water; 1 Litre.	
4.	Source / Location	Drinking Water / School Premise	
5.	Sampled By / Condition	Customer / Sealed & Satisfactory	
6.	Sampling Plan & Procedure	NA	
7.	Date / Time of Sampling	NA	
8.	Date of Sample Registration	21.05.2026	
9.	Date of Sample Testing	21.05.2026 to 26.05.2026	
10.	Environmental Conditions	Room Temperature (°C): 23.8	Relative Humidity (%): 62

RESULTS

S. No.	Name of Test	Test Result	Units	IS 10500:2012 Drinking Water Specification	Method of Test
Discipline- Chemical					
Group- Water					
1	Odour	Agreeable	-	Agreeable (No Relax.)	IS:3025 (Part 05) 2018
2	Taste	Agreeable	-	Agreeable (No Relax.)	IS:3025 (Part 08) 2023
3	Turbidity	BLQ (LOQ=0.1)	NTU	1.0 (Max. 5.0)	IS:3025 (Part 10) 2023
4	pH value at 25°C	7.02	-	6.5-8.5 (No Relax.)	IS:3025 (Part 11) 2022
5	Total Dissolved Solids	501	mg/L	500 (Max.2000)	IS:3025 (Part 16) 2023
6	Total Hardness as CaCO ₃	376.50	mg/L	200 (Max. 600)	IS:3025 (Part 21) 2009
7	Calcium as Ca ⁺⁺	58.65	mg/L	75 (Max. 200)	IS:3025 (Part 40) 2024
8	Magnesium as Mg ⁺⁺	55.86	mg/L	30 (Max.100)	IS:3025 (Part 46) 2023
9	Total Alkalinity as CaCO ₃	365.40	mg/L	200 (Max. 600)	IS:3025 (Part 23) 2023
10	Chloride as Cl ⁻	60.66	mg/L	250 (Max.1000)	IS:3025 (Part 32) 1988
11	Total Iron as Fe	0.07	mg/L	0.3 (No Relax.)	IS:3025 (Part 53) 2024
12	Nitrate as NO ₃ ⁻	BLQ (LOQ=1.0)	mg/L	45 (No Relax.)	IS:3025 (Part 34) 2023
13	Sulphate as SO ₄ ⁻	21.16	mg/L	200 (Max. 400)	IS:3025 (Part 24) 2022
14	Fluoride as F ⁻	0.97	mg/L	1.0 (Max. 1.5)	IS:3025 (Part 60) 2023
15	Free Residual Chlorine	BLQ (LOQ=0.14)	mg/L	0.2 (Max. 1.0)	IS:3025 (Part 26) 2021

BLQ=Below Limit of Quantification, LOQ= Limit of Quantification.

Checked By
Suryabhan Singh
Quality Manager

PRINCIPAL
New Standard Public School
Salethu, Maharajganj-Raebareli



Manager
NEW STANDARD PUBLIC SCHOOL
Salethu, Maharajganj-Raebareli

Authorized Signatory
J.P. Nautiyal
Technical Manager

End of Report

◆ The test-results relate only to the sample analysed. ◆ The test-results may not be reproduced except in full, without a written approval of the laboratory and cannot be used as an evidence in the court of law. ◆ The sample will be destroyed after 7 days from the date of issue of test certificate unless otherwise specified. ◆ Complaints pertaining to this test report should be communicated within 7 days of issue of test report. ◆ All disputes subject to Lucknow Jurisdiction.



TEST REPORT

Test Report No.: URLS/2026/1298		Issued On: 26.05.2026
1.	Name & Address of Customer	New Standard Public School (Inter College); Salethu, Maharajganj, Raebareli, Uttar Pradesh.
2.	Registration Reference Details	Order Code/Job Order No.: URLS/O/26-0722/2; Dated: 21.05.2026
3.	Material Identification with Details	Water; 1 Litre.
4.	Source / Location	Drinking Water / School Premise
5.	Sampled By / Condition	Customer / Sealed & Satisfactory
6.	Sampling Plan & Procedure	NA
7.	Date / Time of Sampling	NA
8.	Date of Sample Registration	21.05.2026
9.	Date of Sample Testing	21.05.2026 to 26.05.2026
10.	Environmental Conditions	Room Temperature (°C): 23.8 Relative Humidity (%): 62

RESULTS

S. No.	Name of Test	Test Result	IS 10500:2012 Drinking Water Specification	Method of Test
Discipline- Biological				
Group- Water				
1	Total Coliform (MPN/100ml)	Not Detected	Shall not be detectable	IS:1622-1981
2	Faecal Coliform (MPN/100ml)	Not Detected	Shall not be detectable	IS:1622-1981
3	E.coli in 100 ml Sample	Not Detected	Shall not be detectable	IS:1622-1981



PRINCIPAL
New Standard Public School
Salethu, Maharajganj-Raebareli


Manager
NEW STANDARD PUBLIC SCHOOL
Salethu, Maharajganj-Raebareli


Checked By
Suryabhan Singh
Quality Manager



End of Report


Authorized Signatory
J.P. Nautiyal
Technical Manager

◆ The test-results relate only to the sample analysed. ◆ The test-results may not be reproduced except in full, without a written approval of the laboratory and cannot be used as an evidence in the court of law. ◆ The sample will be destroyed after 7 days from the date of issue of test certificate unless otherwise specified. ◆ Complaints pertaining to this test report should be communicated within 7 days of issue of test report. ◆ All disputes subject to Lucknow Jurisdiction.